





[WRC 80-110]

WIDE RANGE CERAMIC

COD. CODE CÓD.	 bar	 drop	 l/min	l/ha (spazio tra gli ugelli: 50 cm) l/ha (nozzle spacing: 50 cm) l/ha (espacio entre las boquillas: 50 cm)										 drop	COD. CODE CÓD.
				4 km/h	6 km/h	8 km/h	10 km/h	12 km/h	14 km/h	16 km/h	18 km/h	20 km/h	25 km/h		
WRC110015	1	F	0.35	104	69	52	42	35	30	26	23	21	17	F	WRC080015
	2	F	0.49	147	98	73	59	49	42	37	33	29	24	F	
	3	F	0.60	180	120	90	72	60	51	45	40	36	29	F	
	5	F	0.77	232	155	116	93	77	66	58	52	46	37	F	
	7	VF	0.92	275	183	137	110	92	79	69	61	55	44	VF	
WRC11002	1	F	0.46	139	92	69	55	46	40	35	31	28	22	F	WRC08002
	2	F	0.65	196	131	98	78	65	56	49	44	39	31	F	
	3	F	0.80	240	160	120	96	80	69	60	53	48	38	F	
	5	F	1.03	310	207	155	124	103	89	77	69	62	50	F	
	7	F	1.22	367	244	183	147	122	105	92	81	73	59	F	
WRC110025	1	M	0.58	173	115	87	69	58	49	43	38	35	28	M	WRC080025
	2	F	0.82	245	163	122	98	82	70	61	54	49	39	F	
	3	F	1.00	300	200	150	120	100	86	75	67	60	48	F	
	5	F	1.29	387	258	194	155	129	111	97	86	77	62	F	
	7	F	1.53	458	306	229	183	153	131	115	102	92	73	F	
WRC11003	1	M	0.69	208	139	104	83	69	59	52	46	42	33	M	WRC08003
	2	F	0.98	294	196	147	118	98	84	73	65	59	47	F	
	3	F	1.20	360	240	180	144	120	103	90	80	72	58	F	
	5	F	1.55	465	310	232	186	155	133	116	103	93	74	F	
	7	F	1.83	550	367	275	220	183	157	137	122	110	88	F	
WRC11004	1	M	0.92	277	185	139	111	92	79	69	62	55	44	M	WRC08004
	2	M	1.31	392	261	196	157	131	112	98	87	78	63	M	
	3	F	1.60	480	320	240	192	160	137	120	107	96	77	F	
	5	F	2.07	620	413	310	248	207	177	155	138	124	99	F	
	7	F	2.44	733	489	367	293	244	209	183	163	147	117	F	
WRC11005	1	M	1.15	346	231	173	139	115	99	87	77	69	55	M	WRC08005
	2	M	1.63	490	327	245	196	163	140	122	109	98	78	M	
	3	F	2.00	600	400	300	240	200	171	150	133	120	96	F	
	5	F	2.58	775	516	387	310	258	221	194	172	155	124	F	
	7	F	3.06	917	611	458	367	306	262	229	204	183	147	F	
WRC11006	1	M	1.39	416	277	208	166	139	119	104	92	83	67	M	WRC08006
	2	M	1.96	588	392	294	235	196	168	147	131	118	94	M	
	3	M	2.40	720	480	360	288	240	206	180	160	144	115	M	
	5	M	3.10	930	620	465	372	310	266	232	207	186	149	M	
	7	M	3.67	1.100	733	550	440	367	314	275	244	220	176	M	
WRC11008	1	C	1.85	554	370	277	222	185	158	139	123	111	89	C	WRC08008
	2	M	2.61	784	523	392	314	261	224	196	174	157	125	M	
	3	M	3.20	960	640	480	384	320	274	240	213	192	154	M	
	5	M	4.13	1.239	826	620	496	413	354	310	275	248	198	M	
	7	M	4.89	1.466	978	733	587	489	419	367	326	293	235	M	

Classificazione in accordo con lo standard
ASABE S572.3 e la norma ISO25358

Classification according to ASABE S572.3 and ISO25358

Clasificación según ASABE S572.3 e ISO25358

	DIMENSIONE DELLE GOCCE DROP SIZE RATING DIMENSIONES DE LAS GOTAS
VF	Molto fine - Very fine - Muy fina
F	Fine - Fine - Fina
M	Media - Medium - Media
C	Grossa - Coarse - Gruesa